ELSEVIER

Physica C 311 (1999) 321–323

PHYSICA C

Author Index to Volume 311

Adrian, H., see Hillmer, F., **311** (1999) 11
Alekseev, A.F., see Fradina, I.A., **311** (1999) 81
Angst, M., see Schwer, H., **311** (1999) 49
Ansaldo, E.J., see Stronach, C.E., **311** (1999) 19
Aomine, T., see Fujiki, H., **311** (1999) 58
Araújo-Moreira, F.M., W.A. Ortiz and O.F. de Lima, Multilevel granular structure and its coupling distribution in melt-textured $YBa_2Cu_3O_{7-\delta}$, **311** (1999) 98
Asaf, U., see Felner, I., **311** (1999) 163

Babonas, G.-J., see Szymczak, R., **311** (1999) 187
Baran, M., see Szymczak, R., **311** (1999) 187
Berger, H., see Liu, H.L., **311** (1999) 197
Bernhard, C., see Stronach, C.E., **311** (1999) 19
Bornemann, H.J., see Qin, M.J., **311** (1999) 280
Bornemann, H.J., see Kaiser, A.W., **311** (1999) 287

Castillo, I.A., see Jurelo, A.R., **311** (1999) 133
Chaddah, P., see Chaudhary, S., **311** (1999) 122
Chang, B.-Y., see Yang, I.-S., **311** (1999) 75
Chaudhary, S., S.B. Roy and P. Chaddah, Orientation-induced crossover in pinning force density and peak effect in $Bi_2Sr_2CaCu_2O_{8+x}$ single crystal, **311** (1999) 122
Chen, J., see Kaiser, A.W., **311** (1999) 287
Crisan, M. and I. Tifrea, Critical temperature of a van Hove superconductor with spin–charge separation, **311** (1999) 310

Defourneau, R.M., see Perrière, J., **311** (1999) 231
De Lima, O.F., see Araújo-Moreira, F.M., **311** (1999) 98
Desgardin, G., see Leblond, C., **311** (1999) 211
Dong, J., see Zhu, B.Y., **311** (1999) 140
Dou, S.X., see Guo, Y.C., **311** (1999) 65

Ebbesen, T.W., see Huang, S.-L., **311** (1999) 172

Fan, X.-J., G. Ji and X.-G. Li, The effect of the superconducting–normal proximity on the Josephson tunneling of high-T_c superconductors, **311** (1999) 93
Fastampa, R., see Giura, M., **311** (1999) 223
Felner, I., U. Asaf, S. Reich and Y. Tsabba, Magnetic properties of $RSr_2RuCu_2O_{8+\delta}$ (R = Eu and Gd), **311** (1999) 163
Ferreira, L.M., see Jurelo, A.R., **311** (1999) 133
Fossheim, K., see Huang, S.-L., **311** (1999) 172
Fradina, I.A., A.F. Alekseev, T.J. Gridasova, V.V. Morozov and D.O. Jurchenko, Influence of pelletization pressure on magnetic susceptibility samples of ceramics Bi (Pb)–Sr–Ca–Cu–O, **311** (1999) 81
Frank-Kamenetskaya, O.V., see Rozhdestvenskaya, I.V., **311** (1999) 239
Frey, U., see Hillmer, F., **311** (1999) 11
Freyhardt, H.C., see Ullrich, M., **311** (1999) 86
Fujiki, H., M. Yamada, B. Shinozaki, T. Kawaguti, F. Ichikawa, T. Fukami and T. Aomine, Superconducting fluctuation, localization and electron–electron interaction corrections to the magnetoconductivity in three-dimensional aluminum films, **311** (1999) 58
Fujiyoshi, T., see Yamafuji, K., **311** (1999) 253
Fukami, T., see Fujiki, H., **311** (1999) 58
Funahashi, R., I. Matsubara, K. Ueno and H. Ishikawa, Mechanism of $Bi_2Sr_2CaCu_2O_x$ crystallization and superconducting properties for $Bi_2Sr_2CaCu_2O_x$/Ag tapes prepared using isothermal partial melting method, **311** (1999) 107

Ghatak, S.K. and A. Taraphder, On the possible mechanism of structural transition in cuprates, **311** (1999) 273
Ghivelder, L., see Jurelo, A.R., **311** (1999) 133
Giura, M., D. Neri, F. Pulizzi, S. Sarti, E. Silva, R. Fastampa and E.L. Wolf, Effects of dimensional crossover on the resistivity in $Bi_2Sr_2CaCu_2O_{8+x}$ crystal, **311** (1999) 223
Gopalakrishnan, I.K., T.B. Waje and J.V. Yakhmi, Structural and superconducting properties of $Eu_{1-x}Pr_xBaSrCu_3O_{7-\delta}$, **311** (1999) 246
Gridasova, T.J., see Fradina, I.A., **311** (1999) 81
Guo, Y.C., Y. Tanaka, T. Kuroda, S.X. Dou and Z.Q. Yang, Addition of nanometer SiC in the silver-sheathed Bi2223 superconducting tapes, **311** (1999) 65

Haibach, P., see Hillmer, F., **311** (1999) 11
Han, G.C. and C.K. Ong, Low-field irreversibility line and its anisotropy of textured $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ silver-clad tapes, **311** (1999) 29
Hatsuda, K., see Utsunomiya, H., **311** (1999) 23
Hillmer, F., G. Jakob, P. Haibach, U. Frey, Th. Kluge, H. Adrian, G. Wirth, E. Jäger and E. Schimpf, Absence of correlated flux pinning by columnar defects in irradiated epitaxial $Bi_2Sr_2CaCu_2O_8$ thin films, **311** (1999) 11

Huang, S.-L., M.R. Koblischka, K. Fossheim, T.W. Ebbesen and T.H. Johansen, Microstructure and flux distribution in both pure and carbon-nanotube-embedded $Bi_2Sr_2CaCu_2O_{8+\delta}$ superconductors, **311** (1999) 172

Ichikawa, F., see Fujiki, H., **311** (1999) 58
Ishikawa, H., see Funahashi, R., **311** (1999) 107
Ivanova, T.I., see Rozhdestvenskaya, I.V., **311** (1999) 239
Iyo, A. and M. Tokumoto, Preparation and superconductivity of $(B_{1-x}C_x)(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_z$, **311** (1999) 35

Jäger, E., see Hillmer, F., **311** (1999) 11
Jakob, G., see Hillmer, F., **311** (1999) 11
Ji, G., see Fan, X.-J., **311** (1999) 93
Johansen, T.H., see Huang, S.-L., **311** (1999) 172
Jurchenko, D.O., see Fradina, I.A., **311** (1999) 81
Jurelo, A.R., I.A. Castillo, J. Roa-Rojas, L.M. Ferreira, L. Ghivelder, P. Pureur and P. Rodrigues Jr., Coherence transition in granular high temperature superconductors, **311** (1999) 133

Kaiser, A.W., J. Chen and H.J. Bornemann, Influence of annealing on T_c, j_c and levitation force of in air melt textured Sm–Ba–Cu–O, **311** (1999) 287
Kaiser, A.W., see Qin, M.J., **311** (1999) 280
Karpinski, J., see Schwer, H., **311** (1999) 49
Kasai, Y., see Ota, H., **311** (1999) 42
Kawaguti, T., see Fujiki, H., **311** (1999) 58
Khalil, A.E., High temperature superconductivity in the mixed state and the dynamics of charge carriers, **311** (1999) 266
Kiss, T., see Yamafuji, K., **311** (1999) 253
Kluge, Th., see Hillmer, F., **311** (1999) 11
Knížek, K., M. Veverka and E. Pollert, Preparation of $Hg_{0.8}Cr_{0.2}Ba_2CuO_{4+\delta}$ under controlled oxygen and mercury partial pressures, **311** (1999) 303
Koblischka, M.R., see Huang, S.-L., **311** (1999) 172
Kopnin, E.M., see Schwer, H., **311** (1999) 49
Kuroda, T., see Guo, Y.C., **311** (1999) 65

Laurent, A., see Perrière, J., **311** (1999) 231
Leblond, C., I. Monot, J. Provost and G. Desgardin, Optimization of the texture formation and characterization of large size top-seeded-melt-grown YBCO pellets, **311** (1999) 211
Lee, W.H., M.R. Yeh and L.R. Sung, Magnetic and superconducting properties of $Tl(Sr_{1.5}R_{0.5})CaCu_2O_{7-\delta}$ compounds, **311** (1999) 297
Leenders, A., see Ullrich, M., **311** (1999) 86
Leonyuk, L., see Szymczak, R., **311** (1999) 187
Li, X.-G., see Fan, X.-J., **311** (1999) 93
Liu, H.L., D.B. Tanner, H. Berger and G. Margaritondo, *ab*-plane optical properties of Ni-doped $Bi_2Sr_2CaCu_2O_{8+\delta}$, **311** (1999) 197

Maltsev, V., see Szymczak, R., **311** (1999) 187
Margaritondo, G., see Liu, H.L., **311** (1999) 197
Matlak, M. and M. Pietruszka, Reentrant and nonreentrant properties of magnetic superconductors. Critical electron redistribution, **311** (1999) 151
Matsubara, I., see Funahashi, R., **311** (1999) 107
Matsuhata, H., see Ota, H., **311** (1999) 42
Migita, S., see Ota, H., **311** (1999) 42
Mikheenko, P.N., Discrete temperatures in high-temperature superconductors, **311** (1999) 1
Molinski, R., see Schwer, H., **311** (1999) 49
Monot, I., see Leblond, C., **311** (1999) 211
Morcrette, M., see Perrière, J., **311** (1999) 231
Morozov, V.V., see Fradina, I.A., **311** (1999) 81
Mosiniewicz-Szablewska, E., see Szymczak, R., **311** (1999) 187

Neri, D., see Giura, M., **311** (1999) 223
Niedermayer, C., see Stronach, C.E., **311** (1999) 19
Noakes, D.R., see Stronach, C.E., **311** (1999) 19

Ong, C.K., see Han, G.C., **311** (1999) 29
Ortiz, W.A., see Araújo-Moreira, F.M., **311** (1999) 98
Ota, H., S. Migita, Y. Kasai, H. Matsuhata and S. Sakai, Particle-free superconducting $Bi_2Sr_2CaCu_2O_x$ ultrathin films prepared by atomic-layer-controlled molecular beam epitaxy technique, **311** (1999) 42

Perrière, J., R.M. Defourneau, A. Laurent, M. Morcrette and W. Seiler, Growth of $Bi_2Sr_2Cu_1O_x$ films by laser ablation, **311** (1999) 231
Pietruszka, M., see Matlak, M., **311** (1999) 151
Pollert, E., see Knížek, K., **311** (1999) 303
Provost, J., see Leblond, C., **311** (1999) 211
Pulizzi, F., see Giura, M., **311** (1999) 223
Pureur, P., see Jurelo, A.R., **311** (1999) 133

Qin, M.J., A.W. Kaiser and H.J. Bornemann, Study of magnetic properties of melt textured $YBa_2Cu_3O_{7-\delta}$ with Pt, Ce and Ag dopants, **311** (1999) 280

Reich, S., see Felner, I., **311** (1999) 163
Roa-Rojas, J., see Jurelo, A.R., **311** (1999) 133
Rodrigues Jr., P., see Jurelo, A.R., **311** (1999) 133
Roy, S.B., see Chaudhary, S., **311** (1999) 122
Rozhdestvenskaya, I.V., T.I. Ivanova and O.V. Frank-Kamenetskaya, Crystal structure of the superconducting infinite-chain cuprate $Ba_2Cu_{2.89}O_{6-y}$, **311** (1999) 239

Saito, Y., see Utsunomiya, H., **311** (1999) 23
Sakai, S., see Ota, H., **311** (1999) 42
Sakai, T., see Utsunomiya, H., **311** (1999) 23
Sarti, S., see Giura, M., **311** (1999) 223
Schimpf, E., see Hillmer, F., **311** (1999) 11
Schwer, H., R. Molinski, E.M. Kopnin, M. Angst and J. Karpinski, Single crystal of the 1223/1234 intergrowth phase $Hg_{1.44}Re_{0.5}Ba_4Ca_5Cu_7O_{20}$: structure and properties, **311** (1999) 49
Seiler, W., see Perrière, J., **311** (1999) 231
Shinkawa, M., see Utsunomiya, H., **311** (1999) 23
Shinozaki, B., see Fujiki, H., **311** (1999) 58
Shvanskaya, L., see Szymczak, R., **311** (1999) 187

Silva, E., see Giura, M., **311** (1999) 223
Stronach, C.E., D.R. Noakes, X. Wan, C. Niedermayer, C. Bernhard and E.J. Ansaldo, Zero-field muon-spin-rotation study of hole antiferromagnetism in low-carrier-density $Y_{1-x}Ca_xBa_2Cu_3O_6$, **311** (1999) 19
Sung, G.Y., see Yang, I.-S., **311** (1999) 75
Sung, L.R., see Lee, W.H., **311** (1999) 297
Szymczak, H., see Szymczak, R., **311** (1999) 187
Szymczak, R., H. Szymczak, M. Baran, E. Mosiniewicz-Szablewska, L. Leonyuk, G.-J. Babonas, V. Maltsev and L. Shvanskaya, Magnetic and superconducting properties of doped $(Sr,Ca)_{10}Cu_{17}O_{29}$-type single crystals, **311** (1999) 187

Tanaka, Y., see Guo, Y.C., **311** (1999) 65
Tanner, D.B., see Liu, H.L., **311** (1999) 197
Taraphder, A., see Ghatak, S.K., **311** (1999) 273
Tifrea, I., see Crisan, M., **311** (1999) 310
Tokumoto, M., see Iyo, A., **311** (1999) 35
Tsabba, Y., see Felner, I., **311** (1999) 163

Ueno, K., see Funahashi, R., **311** (1999) 107
Ullrich, M., H. Walter, A. Leenders and H.C. Freyhardt, Batch production of high-quality-customized-shaped-monolithic HTSC, **311** (1999) 86
Utsunomiya, H., T. Sakai, K. Hatsuda, M. Shinkawa and Y. Saito, Improvement of the critical current density of Ag-sheathed (Bi,Pb)2223 superconducting tapes by tension rolling, **311** (1999) 23

Veverka, M., see Knížek, K., **311** (1999) 303

Waje, T.B., see Gopalakrishnan, I.K., **311** (1999) 246
Walter, H., see Ullrich, M., **311** (1999) 86
Wan, X., see Stronach, C.E., **311** (1999) 19
Wirth, G., see Hillmer, F., **311** (1999) 11
Wolf, E.L., see Giura, M., **311** (1999) 223

Xing, D.Y., see Zhu, B.Y., **311** (1999) 140

Yakhmi, J.V., see Gopalakrishnan, I.K., **311** (1999) 246
Yamada, M., see Fujiki, H., **311** (1999) 58
Yamafuji, K., T. Fujiyoshi and T. Kiss, Effect of flux pinning on the Nernst and Ettingshausen effects in high-T_c superconductors, **311** (1999) 253
Yang, I.-S., B.-Y. Chang and G.Y. Sung, Raman study of the 90° grain boundaries in $YBa_2Cu_3O_{7-\delta}$ thin films, **311** (1999) 75
Yang, Z.Q., see Guo, Y.C., **311** (1999) 65
Yeh, M.R., see Lee, W.H., **311** (1999) 297

Zhao, B.R., see Zhu, B.Y., **311** (1999) 140
Zhao, B.R., see Zhu, B.Y., **311** (1999) 140
Zhu, B.Y., D.Y. Xing, J. Dong and B.R. Zhao, Dynamical phase transition of a driven vortex lattice with disordered pinning, **311** (1999) 140

ELSEVIER

Physica C 311 (1999) 324–325

PHYSICA C

Analytic Subject Index to Volume 311

AC susceptibility
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ silver-clad tapes 29
–of Bi2223/Ag 1
–of $YBa_2Cu_3O_{7-\delta}$ 98
Angular scaling 223
Anisotropy
–of $Bi_2Sr_2CaCu_2O_{8+x}$ crystal 223
Annealing
–of $Sm_1Ba_2Cu_3O_y$ 287
Antiferromagnetic ordering
–in $Y_{1-x}Ca_xBa_2Cu_3O_6$ 19
Atomic-layer-controlled growth
–of $Bi_2Sr_2CaCu_2O_x$ ultrathin films 42

Bilayer model 93

Carbon nanotubes
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 172
Ce doping
–of $YBa_2Cu_3O_{7-\delta}$ 211
Charge carriers dynamics 266
Chromium substitution
–in $Hg_{0.8}Cr_{0.2}Ba_2CuO_{4+\delta}$ 303
Columnar defects
–in $Bi_2Sr_2CaCu_2O_8$ thin films 11
Coulomb interaction 310
Couplings distribution
–in $YBa_2Cu_3O_{7-\delta}$ 98
Critical current density
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes 23
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes 65
–of $(Bi_{1-x}C_x)(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_z$ 35
–of Bi2223/Ag tapes 1
–of $Bi_2Sr_2CaCu_2O_8$ thin films 11
–of $Sm_1Ba_2Cu_3O_y$ 287
–of $YBa_2Cu_3O_{7-\delta}$ 98, 280
Critical phenomena
–in $GdBa_2Cu_3O_{7-\delta}$ 133
–in $YBa_2(Cu_{2.98}Zn_{0.02})O_{7-\delta}$ 133
–in $YBa_2Cu_3O_{7-\delta}$ 133
Critical temperatures 151
Crystal growth
–of YBCO 86
Crystal structure
–of $Ba_2Cu_{2.89}O_{6-y}$ 239
Crystalline phase 231
Crystallization mechanism
–for $Bi_2Sr_2CaCu_2O_x$/Ag tapes 107
Cu-O planes
–in Bi2223/Ag tapes 1
CuO_2 chains
–in $Ba_2Cu_{2.89}O_{6-y}$ 239

3D aluminum films 58
90 degree grain boundaries
–in $YBa_2Cu_3O_{7-\delta}$ film 75
Defect structure
–in $Hg_{1.44}Re_{0.5}Ba_4Ca_5Cu_7O_{20}$ 49
Dimensional crossover
–in $Bi_2Sr_2CaCu_2O_{8+x}$ crystal 223
Disorder
–in $Bi_2Sr_2Ca(Cu_{1-x}Ni_x)_2O_{8+\delta}$ 197
Disordered pinning 140
Doped-hole spin freezing 19
Doping
–of $Sm_1Ba_2Cu_3O_y$ 287
Doping effect
–in $Hg_{1.44}Re_{0.5}Ba_4Ca_5Cu_7O_{20}$ 49
–on $YBa_2Cu_3O_{7-\delta}$ 280

Electrical resistivity
–of $Bi_2Sr_2CaCu_2O_x$ ultrathin films 42
–of $Bi_2Sr_2Cu_1O_x$ films 231
–of $Eu_{1-x}Pr_xBaSrCu_3O_{7-\delta}$ 246
–of $Tl(Sr_{1.5}R_{0.5})CaCu_2O_{7-\delta}$ 297
Electron interaction 151
Electron–lattice interaction 273
Electron redistribution 151
Electron–electron interaction
–in Al films 58
Electrothermal conductivity 266
Energy level shift 273
ESR
–on $(Sr,Ca)_{10}Cu_{17}O_{29}$ 187
Ettingshausen effect 253

Fluctuation
–in Al films 58
Fluctuation conductivity
–in $GdBa_2Cu_3O_{7-\delta}$ 133
–in $YBa_2(Cu_{2.98}Zn_{0.02})O_{7-\delta}$ 133
–in $YBa_2Cu_3O_{7-\delta}$ 133
Fluctuation effects
–in Bi2223/Ag tapes 1
Flux pinning
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes 65
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 172
–in $Bi_2Sr_2CaCu_2O_8$ thin films 11

Ginzburg–Landau coefficients 310
Glass–liquid transition 253
Grain alignment
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes 23
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes 65
Grain bondaries
–in $Bi_{1.7}Pb_{0.3}Sr_2Ca_{2.5}Cu_{3.5}O_{10+\delta}$ 81
Grain coupling
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 172
Granular superconductivity
–in $YBa_2Cu_3O_{7-\delta}$ 98
Granularity 133

High-pressure synthesis
–of $(Bi_{1-x}C_x)(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_z$ 35

Infinite-chain cuprate 239
Infrared spectroscopy
–on $Bi_2Sr_2Ca(Cu_{1-x}Ni_x)_2O_{8+\delta}$ 197
Interlayer pairing
–in Bi2223/Ag tapes 1
Irradiation effect
–on $Bi_2Sr_2CaCu_2O_8$ thin films 11
Irreversibility field
–in $(Bi_{1-x}C_x)(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_z$ 35
Irreversibility line
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ silver-clad tapes 29
Isothermal partial melting method
–for $Bi_2Sr_2CaCu_2O_x$/Ag tapes 107

Josephson coupling 93

Laser ablation
–of $Bi_2Sr_2Cu_1O_x$ films 231

Lattice parameters
–of $Eu_{1-x}Pr_xBaSrCu_3O_{7-\delta}$ 246
–of $Tl(Sr_{1.5}R_{0.5})CaCu_2O_{7-\delta}$ 297
Levitation force
–of $Sm_1Ba_2Cu_3O_y$ 287
–of YBCO 86
–of $YBa_2Cu_3O_{7-\delta}$ 280
Local moment
–in $Tl(Sr_{1.5}R_{0.5})CaCu_2O_{7-\delta}$ 297

Magnetic moment
–for $RSr_2RuCu_2O_{8+\delta}$ 163
Magnetic ordering
–in $RSr_2RuCu_2O_{8+\delta}$ 163
Magnetic relaxation
–in $YBa_2Cu_3O_{7-\delta}$ 280
Magnetic susceptibility
–of $(Sr,Ca)_{10}Cu_{17}O_{29}$ 187
–of $Bi_{1.7}Pb_{0.3}Sr_2Ca_{2.5}Cu_{3.5}O_{10+\delta}$ 81
–of $RSr_2RuCu_2O_{8+\delta}$ 163
–of $Tl(Sr_{1.5}R_{0.5})CaCu_2O_{7-\delta}$ 297
Magnetization
–of $(Sr,Ca)_{10}Cu_{17}O_{29}$ 187
–of $Bi_2Sr_2CaCu_2O_{\delta+x}$ single crystal 122
–of $Eu_{1-x}Pr_xBaSrCu_3O_{7-\delta}$ 246
–of $Sm_1Ba_2Cu_3O_y$ 287
Magneto optical visualization 172
Magnetoconductivity
–of Al films 58
Magnetoresistivity
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ silver-clad tapes 29
–of $Bi_2Sr_2CaCu_2O_{8+x}$ crystal 223
Mean field model 310
Melt texturing
–of YBCO 86
Mercury partial pressures 303
Microstructure
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 172
–of $YBa_2Cu_3O_{7-\delta}$ 211
Molecular beam epitaxy
–of $Bi_2Sr_2CaCu_2O_x$ ultrathin films 42
Muon spin relaxation 19

Nanometer SiC addition
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes 65
Nernst effect 253

Optical reflectivity
–of $Bi_2Sr_2Ca(Cu_{1-x}Ni_x)_2O_{8+\delta}$ 197
Oxide-powder-in-tube 23
Oxygen stoichiometry
–in $Hg_{0.8}Cr_{0.2}Ba_2CuO_{4+\delta}$ 303

Peak effect
–in $Bi_2Sr_2CaCu_2O_{\delta+x}$ single crystal 122
Penetration depth
–in $(Sr,Ca)_{10}Cu_{17}O_{29}$ 187
Peritectic reaction
–for $Bi_2Sr_2CaCu_2O_x$/Ag tapes 107
Phase diagram 273
Phase structure
–of $Bi_{1.7}Pb_{0.3}Sr_2Ca_{2.5}Cu_{3.5}O_{10+\delta}$ 81
Pinning force density
–in $Bi_2Sr_2CaCu_2O_{\delta+x}$ single crystal 122
Proximity effect 93

Quasiparticles 266

Raman spectra
–of $YBa_2Cu_3O_{7-\delta}$ film 75
Reentrant superconductivity 151
Resistivity
–of $Bi_2Sr_2CaCu_2O_{8+x}$ crystal 223

Scanning electron microscopy
–on $Bi_{1.7}Pb_{0.3}Sr_2Ca_{2.5}Cu_{3.5}O_{10+\delta}$ 81
Scattering time 266
Spin ladder system 187
Spin–charge separation 310
Stability
–of $Hg_{0.8}Cr_{0.2}Ba_2CuO_{4+\delta}$ 303
Stacking faults
–in $Hg_{1.44}Re_{0.5}Ba_4Ca_5Cu_7O_{20}$ 49
Stress
–in $YBa_2Cu_3O_{7-\delta}$ film 75
Structural transition mechanism 273
Structure
–of $Ba_2Cu_{2.89}O_{6-y}$ 239
–of $Eu_{1-x}Pr_xBaSrCu_3O_{7-\delta}$ 246
–of $Hg_{1.44}Re_{0.5}Ba_4Ca_5Cu_7O_{20}$ 49
–of $Tl(Sr_{1.5}R_{0.5})CaCu_2O_{7-\delta}$ 297
Substitution effect
–in $(Bi_{1-x}C_x)(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_z$ 35
Substitution effects
–on $Tl(Sr_{1.5}R_{0.5})CaCu_2O_{7-\delta}$ 297
Superconducting magnets 86
Synthesis
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes 65
–of $(Bi,Pi)_2Sr_2Ca_2Cu_3O_x$ tapes 23
–of $Bi_2Sr_2CaCu_2O_x$ ultrathin films 42
–of $Bi_2Sr_2CaCu_2O_x$/Ag tapes 107
–of $Bi_2Sr_2Cu_1O_x$ films 231
–of $Hg_{0.8}Cr_{0.2}Ba_2CuO_{4+\delta}$ 303

Tension rolling
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes 23
Texture cycle
–for $YBa_2Cu_3O_{7-\delta}$ 211
Thermal fluctuations 140
Thin films 231
Top seeding
–of $YBa_2Cu_3O_{7-\delta}$ 211
Tunneling current 93

Ultrathin films 42

Van Hove density of states 310
Vortex lattice 140
Vortex motion
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ silver-clad tapes 29

Weak localization
–in Al films 58

X-ray diffraction
–on $Bi_2Sr_2CaCu_2O_x$/Ag tapes 107